

- Re-write the decimal $0.\overline{25}$ as a quotient of two integers.
- Let N denote 2^{2015} . Write each of the following in terms of N .
 - 2^{2016}
 - $2^{2018} - 2^{2016}$
 - 4^{2015}
 - 2^{2014}
- Simplify (or rationalize) each of the following.
 - $\frac{x^3 - 9x}{x^2 - 7x + 12}$
 - $\frac{x^2 - 2x - 8}{x^3 + x^2 - 2x}$
 - $\frac{\frac{1}{x} - \frac{1}{5}}{\frac{1}{x^2} - \frac{1}{25}}$
 - $\frac{9 - x^{-2}}{3 + x^{-1}}$
 - $\frac{5 + \sqrt{5}}{5 - \sqrt{5}}$
 - $\log_{10}(120a^3) - (\log_{10} 3a + 2\log_{10} 2a)$
- Assume that all variables represent positive numbers. Write each of the following expressions in the form $c a^p b^q$ where c, p, q are numbers:
 - $\frac{(2a^2)^3}{b}$
 - $\sqrt{9ab^3}$
 - $\frac{a\left(\frac{2}{b}\right)}{\frac{3}{a}}$
 - $\frac{ab - a}{b^2 - b}$
 - $\frac{a^{-1}}{(b^{-1})\sqrt{a}}$
 - $\left(\frac{a^{2/3}}{b^{1/2}}\right)^2 \left(\frac{b^{3/2}}{a^{1/2}}\right)$
- Solve the quadratic equation $3x^2 + 4x - 1 = 0$, **by completing the square**. Check your solutions using exact values.
- Solve each of the following equations over the real numbers. Use exact values, and show all steps. Make sure to check your solution(s).
 - $x^2 + 59 = 16x$
 - $125x + 5x^3 = 40x^2$
 - $\log_2(x - 3) - \log_2(x + 1) = 1$
 - $\sqrt{2x + 10} + \sqrt{x + 7} = 4$
 - $5^{x+2} = 2^{2x-3}$
 - $4^{x+1} - 9 \cdot 2^{x+1} = -8$
 - $3 \cdot 2^{2x-1} = 5^{2-x}$
 - $-\cos 2x = \sin x$
 - $\frac{2}{5} \ln(3x - 1) = -2$
 - $\sin 3x \cos 3x = \frac{\sqrt{3}}{4}$
 - $\log_x(20 - x) = 2$
- Solve each of the following inequalities.
 - $x^2 + 36 \leq 12x$
 - $x^2 - 4x - 5x < 0$
 - $\frac{2x - 3}{x + 5} \geq -11$
- Perform each of the following divisions.
 - $2x^5 + x^4 - 10x^3 - 2x^2 + 14x - 7$ by $x^2 + x - 2$
 - $x^5 - 1$ by $x + 3$
- Re-write $\log_2 3 - \log_4 6$ as a single logarithm.
- Suppose that a and b are numbers such that $a + b = 20$. Find the
 - smallest value of $3a^2 + 2b^2$
 - greatest value of $a^2 - 3b^2$
 - greatest value of $a - b^2$.
- If we set the price of a ticket to \$20, we can sell 600 tickets. If we raise the price by x dollar, $4x$ less people will buy the ticket. What is the highest possible revenue that we can obtain?
- Find the equation of the straight line passing through the intersection of the circles $(x + 2)^2 + (y + 2)^2 = 50$ and $(x - 2)^2 + (y - 1)^2 = 25$.
 - Find an equation of the tangent line drawn to the graph of $6y + x^2 + y^2 + 33 = 14x$ at the point $(10, -7)$.
- Find an equation for all tangent lines drawn to the graph of $y = \frac{3}{2}x^2 - x + 3$ from the point $P(1, -10)$.
- Suppose that at time t , (where t is measured in hours) a sample contains $Q(t) = 4.5(0.95^{3t})$ grams of a certain substance. How long does it take for this substance to decrease to half of its original quantity?

15. Graph each of the following.

a) $f(x) = (3x + 24)(x + 5)(x + 8)(x + 1)(5 - x)^2(7 - x)$

b) $10x + x^2 + y^2 = 6(y - 5)$

c) $f(x) = \frac{49 - x^2}{2x + x^2 - 35}$

d) $f(x) = \frac{3(x + 1)^2(x - 5)}{(x - 1)(x + 1)^8}$

e) $f(x) = \frac{-2(x + 2)x(x - 2)^3(x - 3)^2}{(x + 1)^2x^2(x - 2)^2(x - 3)^2}$

f) $f(x) = x^5 - 5x^3$

g) $f(x) = \frac{3x - 1}{x + 5}$

h) $f(x) = -2\sqrt{x + 4} - 5$

16. Simplify each of the following expressions.

a) $\log_9\left(\frac{1}{27}\right)$

d) $\log_3(9^k)$

g) $25^{\log_5 7}$

j) $e^{-2\ln 7}$

b) $\log_{16} 4$

e) $\log_{64}\left(\frac{1}{16}\right)$

h) $\log_{\sqrt{27}}\left(\frac{1}{9}\right)$

k) $3^{-2\log_3 2}$

c) $\log_3(3^{21})$

f) $1 + 2\log_2 3 - \log_2 36$

i) $e^{2\ln 5}$

l) $\log_2 5 - \log_2 40$

17. Which of the following is NOT equivalent to $\log_8\left(\frac{50}{3}\right)$?

A) $\frac{\ln\left(\frac{50}{3}\right)}{\ln 8}$

B) $\frac{\ln 50 - \ln 3}{\ln 8}$

C) $\frac{\ln 50 - \ln 3}{3 \ln 2}$

D) $\frac{2 \ln 5 + \ln 2 - \ln 3}{3 \ln 2}$

E) $\frac{2 \ln 5 - \ln 3}{3}$

18. Find the exact value for each of the following expressions.

a) $\cos 22.5^\circ$

b) $\cos 15^\circ \cos 75^\circ$

c) $\frac{\tan 65^\circ - \tan 5^\circ}{1 + (\tan 65^\circ) \tan 5^\circ}$

d) $\sin^{-1}\left(-\frac{1}{\sqrt{2}}\right)$

e) $\cos^{-1}\left(-\frac{1}{\sqrt{2}}\right)$

19. Suppose that $f(x) = 3 - x^2$ and $g(x) = 2x - 1$. Compute each of the following.

a) $f(4) + g(4)$

b) $\frac{g(2)}{f(2)}$

c) $f(g(-1))$

d) $g(f(-1))$

e) $f(g(x))$

f) $g(f(x))$

20. Find the domain for each of the following functions.

a) $f(x) = 2^{x-1}$


b) $f(x) = \sqrt{10 - x^2}$

c) $f(x) = \ln(10 - x^2)$


d) $f(x) = \frac{1}{\ln(10 - x^2)}$

21. Given the graph of the function $f(x)$, sketch the graph of the inverse relation, $f^{-1}(x)$ in the same coordinate system.


a)




b)



c)



d)



22. Find an equation for the inverse of each of the following functions.

a) $f(x) = 3^{5x-1}$


b) $f(x) = \frac{x + 4}{3x - 5}$

c) $f(x) = \ln(2x - 1)$

23. Consider the vectors $\underline{u} = 3\underline{i} + 4\underline{j}$ and $\underline{v} = 8\underline{i} - 15\underline{j}$. Find each of the following.

- a) $-2\underline{u}$ b) $\|\underline{u}\|$ c) $\|\underline{v}\|$ d) $\underline{u} + \underline{v}$ e) $3\underline{u} - 2\underline{v}$ f) $\underline{u} \cdot \underline{v}$
 g) $(\underline{u} + \underline{v}) \cdot (\underline{u} + \underline{v})$ h) Find the angle formed by the vectors \underline{u} and \underline{v} .

24. An object is held by ropes as shown on the picture. Find the forces in the ropes if the object weighs 100 N.



25. Find the exact value of $\sin \alpha$ where α is the angle formed by the common tangent lines drawn to the graphs of $(x - 4)^2 + y^2 = 16$ and $x^2 + y^2 = 25$.

26. Let A_1 and A_2 denote the area of two circles, C_1 and C_2 , respectively. Find the ratio $\frac{A_1}{A_2}$ if an arc subtended by a central angle of 45° in C_1 is as long as an arc subtended by a central angle of 30° in C_2 .

27. Consider the functions $f(x) = \log_3 x$ and $g(x) = \log_{1/3} x$.

- a) Graph these functions in the same coordinate system. b) What kind of a symmetry do you notice?
 c) What is the connection between these two functions? Justify your answer using algebra.


28. Redo problem 27. with the functions $f(x) = 2^x$ and $g(x) = \log_2 x$.

29. Redo problem 27. with the functions $f(x) = 2^x$ and $g(x) = \left(\frac{1}{2}\right)^x$.

30. Let C_1 and C_2 be circles defined by $x^2 + y^2 = 64$ and $(x - 10)^2 + y^2 = 9$, respectively. Let t_1 and t_2 be the common tangent lines drawn to the circles.

- a) Find the coordinates of the point where t_1 and t_2 intersect each other.
 b) Find an approximation for the acute angle formed by t_1 and t_2 .
 c) Compute the exact value of the length of the line segment \overline{PQ} where P and Q are the points of tangency on t_1 .

31. The picture below shows the graph of a polynomial function, $f(x)$.



- a) What can be the degree of f ? c) Write a possible equation for f .
 b) Is the leading coefficient positive or negative?

32. Consider the function $f(x) = \frac{x - 6}{2x + 5}$.

- a) Find all horizontal asymptotes of the graph of f . e) Find the inverse of f .
 b) Find all vertical asymptotes of the graph of f . f) Find x for which $f(x) = -\frac{4}{5}$.
 c) Compute the intercepts of f .
 d) Graph $f(x)$. g) Solve: $\frac{x - 6}{2x + 5} \leq 1$

33. Graph each of the following functions.

- a) $f(x) = -\frac{1}{2} \sin(2x - \pi) + 1$ on $[-2\pi, 2\pi]$ c) $f(x) = \tan^{-1} x$
 b) $f(x) = -3 \cos\left(\frac{\pi x}{3}\right) - 2$ on $[-9, 9]$ d) $f(x) = \sec x$

34. Prove each of the following identities.

- a) $1 - \left(\cos \frac{x}{2} - \sin \frac{x}{2}\right)^2 = \sin x$ b) $\cos 4x = 8 \cos^4 x - 8 \cos^2 x + 1$ c) $\sin 2x = \frac{1 - \tan^2\left(\frac{\pi}{4} - x\right)}{1 + \tan^2\left(\frac{\pi}{4} - x\right)}$

35. Simplify each of the following expressions.

- a) $\sin\left(\cos^{-1}\left(-\frac{3}{5}\right)\right)$ d) $\tan\left(2 \tan^{-1}\left(\frac{3}{4}\right)\right)$ f) $\tan\left(\frac{1}{2} \cos^{-1}\left(-\frac{1}{2}\right)\right)$
 b) $\sin(\tan^{-1}(-2))$ g) $\sin\left(\frac{1}{2} \cos^{-1}\left(\frac{2}{3}\right)\right)$
 c) $\sin\left(2 \cos^{-1}\left(\frac{1}{3}\right)\right)$ e) $\cos\left(2 \tan^{-1}\left(\frac{1}{3}\right)\right)$ h) $\tan(\tan^{-1}(2) + \tan^{-1}(3))$

36. Simplify each of the following expressions.

- a) $\sin(\cos^{-1} x)$ c) $\sin(2 \cos^{-1} x)$ e) $\cos(2 \tan^{-1} x)$ g) $\sin\left(\frac{1}{2} \cos^{-1} x\right)$
 b) $\sin(\tan^{-1} x)$ d) $\tan(2 \tan^{-1} x)$ f) $\tan\left(\frac{1}{2} \cos^{-1} x\right)$

37. Find the exact value of all solutions for each of the following equations. Present your answer in radians.

- a) $\sin x = \sin 2x$ b) $7 \sin x + 1 = 6 \cos^2 x$ c) $\sin x + 1 = 2 \cos^2 x$

38. Suppose that $\sin \alpha = -\frac{5}{13}$ and α is not in the fourth quadrant; $\cos \beta = \frac{7}{25}$ and β is not in the first quadrant. Find the exact value for each of the following.

- a) $\tan(\alpha - \beta)$ b) $\cos(\alpha + \beta)$ c) $\cos 2\alpha$ d) $\tan \frac{\alpha}{2}$

39. Let x and y be angles such that $\sin x = -\frac{3}{5}$, $\cos y = -\frac{20}{29}$. In addition, we know that $180^\circ \leq x \leq 270^\circ$ and $90^\circ \leq y \leq 180^\circ$. Find the exact value of each of the following.

- a) $\cos(x + y)$ b) $\sin(3x)$ c) $\tan(x - y)$

40. Express each of the following as a sum or difference.

- a) $\sin 35^\circ \cos 25^\circ$ b) $\cos 25^\circ \cos 75^\circ$ c) $\cos 4x \cos 2x$

41. Express each of the following as a product.

- a) $\sin 50^\circ + \sin 20^\circ$ b) $\sin 75^\circ - \sin 35^\circ$ c) $\cos 7x + \cos 3x$

42. Suppose that $\tan 2x = \frac{3}{4}$. Compute the exact value of a) $\cos 2x$ b) $\sin x$


43. Find $\tan \beta$ if β is the acute angle formed by $y = \frac{2}{3}x - 5$ and $y = -x + 1$.

44. Solve each of the following triangles.


- a) $b = 248.6$, $c = 186.2$, and $\gamma = 43.1^\circ$ b) $\gamma = 42^\circ$, $a = 122$ m, and $c = 70$ m c) $a = 5$, $b = 12$, and $c = 8$

45. Triangle ABC has sides of length 6, 7, and 8. Find the exact value of $\cos \alpha + \cos \beta + \cos \gamma$.

46. Consider the square with sides 1 meter shown on the picture. Find the exact value of the area of the shaded region.



47. Prove that $\sin 70^\circ - \sin 50^\circ = \sin 10^\circ$
48. Find the smallest and largest value of the function $f(x) = 3 \sin x - 8 \cos x$.
49. Solve the equation $20x^3 - 12x^2 - 7x^4 - 2x^5 + x^6 = 0$ given that $x = 2$ is a solution.
50. Consider the regular triangle with sides 4 meter shown on the picture.



- a) Find the exact value of the length of line segment CD .
- b) Find the exact value of the length of line segment ED .
- c) Find the exact value of $\cos \delta$ if δ is the shaded angle $\angle EDC$.
51. Perform the given operation over the complex numbers.
- a) $(2 - 5i)(1 + i)$ b) $(3 - i)^2$ c) i^{143} d) $|3 - 8i|$ e) $(1 - 2i)^2$ f) $\frac{-11 - 7i}{1 + 2i}$
52. * Find an equation for both tangent lines drawn to the graph of $(x - 7)^2 + (y - 4)^2 = 50$ from the external point $(-3, -16)$.

Answers

1. a) $2N$ b) $6N$ c) N^2 d) $\frac{N}{2}$ 2. $\frac{25}{99}$

3. a) $\frac{x(x+3)}{x-4}$ b) $\frac{x-4}{x(x-1)}$ c) $\frac{5x}{x+5}$ d) $\frac{3x-1}{x}$

e) $\frac{3+\sqrt{5}}{2}$ f) 1

4. a) $8a^6b^{-1}$ b) $3a^{\frac{1}{2}}b^{\frac{3}{2}}$ c) $\frac{2}{3}a^2b^{-1}$ d) ab^{-1} e) $a^{-\frac{3}{2}}b$

f) $a^{\frac{5}{6}}b^{\frac{1}{2}}$ 5. $\frac{-2 \pm \sqrt{7}}{3}$

6. a) $8 \pm \sqrt{5}$ b) 0 c) no solution d) -3

e) $\log_{4/5} 200 = \frac{\ln 200}{\ln 4 - \ln 5}$ f) 2, -1

g) $\log_{20} \left(\frac{50}{3}\right) = \frac{\ln 50 - \ln 3}{\ln 20}$

h) $\frac{\pi}{2} + 2k\pi, -\frac{\pi}{6} + 2k\pi, -\frac{5\pi}{6} + 2k\pi, k \in \mathbb{Z}$

i) $\frac{1}{3} + \frac{1}{3e^5}$ j) $\frac{\pi}{9} + \frac{k\pi}{3}$ or $\frac{\pi}{18} + \frac{k\pi}{3}$ where $k \in \mathbb{Z}$

k) 4 (-5 does not work)

7. a) $x = 6$ b) $0 < x < 9$ c) $x < -5$ or $x \geq -4$

8. a) $2x^3 - x^2 - 5x + 1$ R $3x - 5$

b) $x^4 - 3x^3 + 9x^2 - 27x + 81$ R -244

9. $\frac{1}{2} \log_2 \left(\frac{3}{2}\right) = \log_2 \left(\sqrt{\frac{3}{2}}\right)$


10. a) 480 b) 600 c) $\frac{81}{4}$ 11. \$28 900 with price \$85

12. a) $y = -\frac{4}{3}x + \frac{11}{3}$ b) $\frac{3}{4}(x - 10) = y + 7$







13. $y = -7x - 3$ and $y = 11x - 21$

14. $t = \frac{-\ln 2}{3 \ln 0.95}$ hours ≈ 4.50447 hours


15. a)



b)



h)



16. a) $-\frac{3}{2}$ b) $\frac{1}{2}$ c) 21 d) $2k$ e) $-\frac{2}{3}$ f) -1 g) 49



h) $-\frac{4}{3}$ i) 25 j) $\frac{1}{49}$ k) $\frac{1}{4}$ l) -3 17. E

18. a) -6 b) -3 c) -6 d) 3 e) $-4x^2 + 4x + 2$ f) $-2x^2 + 5$



19. a) \mathbb{R} b) $[-\sqrt{10}, \sqrt{10}]$ c) $f(x) = (-\sqrt{10}, \sqrt{10})$
 d) $f(x) = (-\sqrt{10}, \sqrt{10}) \setminus \{3, -3\}$

20. a) $\frac{1}{2}\sqrt{\sqrt{2}+2}$ b) $\frac{1}{4}$ c) $\sqrt{3}$ d) $-\frac{\pi}{4}$ e) $\frac{3\pi}{4}$

21. a) b)



- c) d)





22. a) $f^{-1}(x) = \frac{1}{5}(\log_3 x + 1)$ b) $f^{-1}(x) = \frac{5x + 4}{3x - 1}$
 c) $f^{-1}(x) = \frac{1}{2}(e^x + 1)$


23. a) $-6\underline{i} - 8\underline{j}$ b) 5 c) 17 d) $11\underline{i} - 11\underline{j}$
 e) $-7\underline{i} + 42\underline{j}$ f) -36 g) -264 h) 115.0576°

24. 19.160 N, 90.38343 N 25. $\frac{\sqrt{15}}{8}$ 26. $\frac{4}{9}$

27. a) f - blue graph g - green graph
 b) symmetry through the x axis
 c) $g(x) = -f(x)$
28. a) f - blue graph g - green graph
 b) symmetry through the line $y = x$
 inverse functions



29. a) f is the blue graph, g is the green graph
 b) symmetry through the y axis
 c) $g(x) = f(-x)$




30. a) (16, 0) b) 60° c) $5\sqrt{3}$

31. a) 7, 9, 11, ... b) negative
 c) $y = -(x + 5)(x + 3)(x + 1)^2(x - 3)^2(x - 6)$


32. a) $y = \frac{1}{2}$ b) $x = -\frac{5}{2}$ c) (6, 0) and (0, -2.5)

- d) see below e) $f^{-1}(x) = \frac{5x + 6}{-2x + 1}$




- f) $\frac{10}{13}$ g) $x \leq -11$ or $x > -\frac{5}{2}$


33. a) $f(x) = -\frac{1}{2}\sin(2x - \pi) + 1$ on $[-2\pi, 2\pi]$




b) $f(x) = -3 \cos\left(\frac{\pi x}{3}\right) - 2$ on $[-9, 9]$



c) $f(x) = \tan^{-1} x$



d) $f(x) = \sec x$



34. see handout Trig Identities 4 35. a) $\frac{4}{5}$ b) $-\frac{2\sqrt{5}}{5}$

c) $\frac{4\sqrt{2}}{9}$ d) $\frac{24}{7}$ e) $\frac{4}{5}$ f) $\sqrt{3}$ g) $\frac{\sqrt{6}}{6}$ h) -1

36. a) $\sqrt{1-x^2}$ b) $\frac{x}{\sqrt{x^2+1}}$ c) $2x\sqrt{1-x^2}$

d) $\frac{2x}{1-x^2}$ e) $\frac{1-x^2}{x^2+1}$ f) $\frac{\sqrt{1-x^2}}{1+x}$ g) $\sqrt{\frac{1-x}{2}}$

37. a) $k\pi, \pm\frac{1}{3}\pi + 2k\pi$ where $k \in \mathbb{Z}$

b) $\frac{\pi}{6} + 2k\pi, \frac{5\pi}{6} + 2k\pi$ where $k \in \mathbb{Z}$

c) $-\frac{\pi}{2} + 2k\pi, \frac{\pi}{6} + 2k\pi, \frac{5\pi}{6} + 2k\pi$ $k \in \mathbb{Z}$

38. a) $-\frac{323}{36}$ b) $-\frac{204}{325}$ c) $\frac{119}{169}$ d) -5

39. a) $\frac{143}{145}$ b) $-\frac{117}{125}$ c) $\frac{144}{17}$

40. a) $\frac{1}{2}(\sin 60^\circ + \sin 10^\circ)$ b) $\frac{1}{2}(\cos 50^\circ + \cos 100^\circ)$

c) $\frac{1}{2}(\cos 6x + \cos 2x)$ 41. a) $2 \sin 35^\circ \cos 15^\circ$

b) $2 \cos 55^\circ \sin 20^\circ$ c) $2 \cos 5x \cos 2x$

42. a) $\pm\frac{4}{5}$ b) $\pm\frac{\sqrt{10}}{10}, \pm\frac{3\sqrt{10}}{10}$ 43. 5

44. a) $\beta_1 = 65.819^\circ, \alpha_1 = 71.081^\circ, a_1 = 257.790$
and $\beta_2 = 114.181^\circ, \alpha_2 = 22.719^\circ, a_2 = 105.247$

b) no solution

c) $\alpha = 17.612^\circ, \beta = 133.433^\circ, \gamma = 28.955^\circ$

45. $\frac{47}{32}$ 46. $\frac{2-\sqrt{3}}{3}$

47. $\sin 70^\circ - \sin 50^\circ = \sin(60^\circ + 10^\circ) - \sin(60^\circ - 10^\circ)$
 $= 2 \cos 60^\circ \sin 10^\circ = 2 \cdot \frac{1}{2} \cdot \sin 10^\circ = \sin 10^\circ$

48. smallest: $-\sqrt{73}$ largest: $\sqrt{73}$ 49. $x = 2, 1, 0, -3$

50. a) $\sqrt{12}$ b) $\sqrt{7}$ c) $\frac{3\sqrt{21}}{14}$

51. a) $7-3i$ b) $8-6i$ c) $-i$ d) $\sqrt{73}$
e) $-3-4i$ f) $-5+3i$

52. $y = 7x + 5$ and $y = x - 13$

Last revised: December 1, 2017