

Students must be able to correctly state the following theorems: Intermediate Value Theorem (both forms), Extreme Value Theorem, Rolle's Theorem, Mean Value Theorem, the second derivative test.

Students must be able to prove the following theorems:



- Differentiating functions using the definition (limit of the differential quotient)
- Prove that $\frac{d}{dx}(\sin x) = \cos x$ and $\frac{d}{dx}(\cos x) = -\sin x$ and $\frac{d}{dx}(\ln x) = \frac{1}{x}$, $\frac{d}{dx}(e^x) = e^x$, and $\frac{d}{dx}(a^x) = a^x \cdot \ln a$
- If a function is differentiable at a number x , then it is continuous there.
- The product rule and quotient rule for derivatives.
- Rolle's Theorem.
- The Mean Value Theorem.

Review Problems

1. State and prove the mean value theorem.
2. The derivative of a function is given by $f'(x) = -2(x+3)(x+1)^2(x-2)^3(x-4)$.
 - a) Sketch the graph of f' .
 - b) Sketch the graph of f in the same coordinate system with f' .
3. Compute the inverse for each of the following functions.
 - a) $f(x) = 3^{\sqrt{x}-1}$
 - b) $f(x) = \ln\left(\frac{1}{3}x - 1\right)$
 - c) $f(x) = 5\sqrt[3]{2x-1}$
 - d) $f(x) = \frac{x-3}{5x+8}$
4. Differentiate each of the following.


a) $f(x) = e^{\sin^2 x} e^{\cos^2 x}$	e) $x^3y - x^2y^3 = x - y$	j) $x^3 + y^3 = \ln(x + y)$
b) $f(x) = \ln(\tan x)$	f) $\ln x - \ln y = \sin xy$	k) $\sin x + \cos y = \tan xy$
c) $f(x) = \tan(\pi x)$	g) $f(x) = \cos^{-1}(x^2)$	l) $(x^2 + y^2)^4 = 5x^3y^4$
d) $f(x) = \ln(\sec x)$	h) $f(x) = \ln(\tan x)$	m) $\sin(xy) = \arctan x + \arctan y$
	i) $f(x) = \sin^2 x$	
5.
 - a) Find an equation of all tangent lines drawn to the graph of $2x^2 + y^2 = 5y - x$ at $x = -2$.
 - b) Find an equation of the tangent line drawn to the graph of $x^2 - y^3 + 2xy = y^2 - 5x - 12$ to the point $(-2, 1)$.
6. Let g be a differentiable function with $g(5) = 10$ and $g'(5) = -2$. Compute the exact value of $f'(5)$ if f is defined as
 - a) $f(x) = 3g(x) + 1$
 - b) $f(x) = (g(x))^3$
 - c) $f(x) = \ln(g(x))$
 - d) $f(x) = \cos(g(x))$
7. Find all relative maximums and minimums of $f(x) = (3x-1)^4(6-x)^7$.
8. Compute each of the following indefinite integrals.
 - a) $\int \sec^2 \theta d\theta$
 - b) $\int \sec \theta \tan \theta d\theta$
 - c) $\int \left(x - \frac{1}{x}\right) dx$
 - d) $\int \sin x dx$

9. We would like to design a book. Each page should contain 60 cm^2 of text. The upper margin needs to be 3 cm wide and all other margins need to be 2 cm wide. What dimensions for the book would minimize the amount of paper we need to use to produce this book?
10. We write rectangles into a semicircle with radius 1 as shown on the picture. What dimensions will guarantee the maximal area of the rectangle?
11. Prove that if $f(x) = e^x$, then $f'(x) = e^x$.
12. A company finds that if they spend x dollars on research and y dollars on marketing, then they can make a profit of \sqrt{xy}^2 dollars. How much should the company spend on research and marketing if they can spend a total of 200 000 dollars on these things?
13. The base radius and height of a cylinder are constantly changing but the volume of the cylinder is kept at a constant $600\pi \text{ in}^3$.
- At a time t_1 the base radius is $r(t_1) = 10 \text{ in}$ and its rate of change is $r'(t_1) = 0.2 \frac{\text{in}}{\text{s}}$. Compute the rate of change of the height of the cylinder $h(t)$ at time t_1 .
 - At a time t_2 the height is $h(t_2) = 12 \text{ in}$ and its rate of change is $r'(t_2) = -0.5 \frac{\text{in}}{\text{s}}$. Compute the rate of change of the radius of the cylinder $r(t)$ at time t_2 .
14. The base radius and height of a cylinder are constantly changing but the volume of the cylinder is kept at a constant $600\pi \text{ in}^3$. The radius of the cylinder is changing at a constant rate of $5 \frac{\text{in}}{\text{s}}$.
- Find the rate of change of the height when the radius is 2 in.
 - Find the rate of change of the height when the radius is 100 in.
15. The base radius and height of a cylinder are constantly changing but the volume of the cylinder is kept at a constant $600\pi \text{ in}^3$. The height of the cylinder is changing at a constant rate of $0.8 \frac{\text{in}}{\text{s}}$.
- Find the rate of change of the base radius when the height is 3 in.
 - Find the rate of change of the base radius when the height is 20 in.
16. A spherical snowball is melting in such a way that its volume is decreasing at a constant rate of $-0.003 \frac{\text{m}}{\text{min}}$. How fast is its surface changing when its radius is 0.5 m?
17. Find the number c that satisfies the conclusion of the Mean Value Theorem for $f(x) = x^3 - x + 2$ on $[1, 4]$.
18. An object starts from a location of $L(0) = 0$. Find the location of the object $t = 10$ if its velocity function is shown on the picture.



Answers

1. see handout 2. see below



3. a) $f^{-1}(x) = (1 + \log_3 x)^2$ b) $f^{-1}(x) = 3 + 3e^x$ c) $f^{-1}(x) = \frac{x^3}{250} + \frac{1}{2}$ d) $f^{-1}(x) = \frac{8x + 3}{-5x + 1}$
4. a) $f'(x) = 0$ b) $f'(x) = \frac{\tan^2 x + 1}{\tan x} = \frac{1}{\cos x \sin x}$ c) $f'(x) = \pi \sec^2(\pi x)$ d) $f'(x) = \tan x$
- e) $y' = \frac{-3x^2y + 2xy^3 + 1}{x^3 - 3x^2y^2 + 1}$ f) $y' = \frac{-xy^2 \cos xy + y}{x^2y \cos xy + x}$ g) $f'(x) = -\frac{2x}{\sqrt{1-x^4}}$
- h) $f'(x) = \frac{\tan^2 x + 1}{\tan x} = \frac{1}{\sin x \cos x}$ i) $f'(x) = 2 \cos x \sin x = \sin 2x$ j) $y' = \frac{-3x^2(x+y) + 1}{3y^2(x+y) - 1}$
- k) $y' = \frac{-\cos x + y(\tan^2 xy + 1)}{-\sin y - x(\tan^2 xy + 1)}$ l) $y' = \frac{5y^4 - 8x(x^2 + y^2)^3}{-20xy^3 + 8y(x^2 + y^2)^3}$ m) $y' = \frac{-(y^2 + 1)(\cos x(x^2 + 1) + 1)}{(x^2 + 1)((y^2 + 1) \sin y - 1)}$
5. a) $y = -7x - 12$ and $y = 7x + 17$ b) $\frac{1}{3}(x + 2) = y - 1$
6. a) -6 b) -600 c) $-\frac{1}{5}$ d) $2 \sin 10$ e) $\frac{3}{5000}$
7. $f'(x) = -(33x - 79)(3x - 1)^3(x - 6)^6$ min at $x = \frac{1}{3}$ max at $x = \frac{79}{33}$
8. a) $\tan \theta + C$ b) $\sec \theta + C$ c) $\frac{1}{2}x^2 - \ln|x| + C$ d) $-\cos x + C$
9. vertical: $(5 + 5\sqrt{3})$ cm horizontal: $(4 + 4\sqrt{3})$ cm 10. $\sqrt{2}$ by $\frac{\sqrt{2}}{2}$ 11. see handout
12. They should spend 40 000 on research and 160 000 on marketing
13. a) $-0.24 \frac{\text{in}}{\text{s}}$ b) $\frac{5}{48}\sqrt{2} \frac{\text{in}}{\text{s}} \approx 0.147314 \frac{\text{in}}{\text{s}}$ 14. a) $-750 \frac{\text{in}}{\text{s}}$ b) $-\frac{3}{500} \frac{\text{in}}{\text{s}} = -0.006 \frac{\text{in}}{\text{s}}$
15. a) $-\frac{4}{3}\sqrt{2} \frac{\text{in}}{\text{s}} \approx -1.8856181 \frac{\text{in}}{\text{s}}$ b) $-\frac{\sqrt{30}}{50} \frac{\text{in}}{\text{s}} \approx -0.10954 \frac{\text{in}}{\text{s}}$ 16. $-0.012 \frac{\text{m}^2}{\text{min}}$
17. $\sqrt{7}$ 18. $L(10) = 21$